

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address COMMISSIONER FOR PATENTS
PO. Box 1450
Alexandra, Vignua 22313-1450
www.uspto gov

APPLICATION NO.	APPLICATION NO. FILING DATE		FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/782,087 02/12/2001		Marianne Hammer	10191/1730	9715		
26646	7590	09/03/2003				
	KENYON & KENYON				EXAMINER	
	ONE BROADWAY NEW YORK, NY 10004			BUDD, MARK OSBORNE		
				ART UNIT	PAPER NUMBER	
				2834		
			DATE MAILED: 09/03/2003			

Please find below and/or attached an Office communication concerning this application or proceeding.

1	upplemental Notice of Allowability
1	Notice of Allowability

Application No.	Applicant(s)	
09/782,087	HAMMER ET AL.	
Examiner	Art Unit	
Mark Budd	2834	

IVI	ark budu 2034
All claims being allowable, PROSECUTION ON THE MERITS IS (Of herewith (or previously mailed), a Notice of Allowance (PTOL-85) or	other appropriate communication will be mailed in due course. THIS ITS. This application is subject to withdrawal from issue at the initiative
 This communication is responsive to the telephone inquiry of The allowed claim(s) is/are The drawings filed on are accepted by the Examiner. 	<u>8-26-03</u> .
 4. ☐ Acknowledgment is made of a claim for foreign priority under a) ☐ All b) ☐ Some* c) ☐ None of the: 	35 U.S.C. § 119(a)-(d) or (f).
 Certified copies of the priority documents have be 	
Certified copies of the priority documents have be	en received in Application No
 Copies of the certified copies of the priority documents. International Bureau (PCT Rule 17.2(a)). 	nents have been received in this national stage application from the
* Certified copies not received:	
5. Acknowledgment is made of a claim for domestic priority unde	
(a) The translation of the foreign language provisional appl	
6. Acknowledgment is made of a claim for domestic priority unde	r 35 U.S.C. §§ 120 and/or 121.
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this below. Failure to timely comply will result in ABANDONMENT of this	s communication to file a reply complying with the requirements noted application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.
7. A SUBSTITUTE OATH OR DECLARATION must be submitte INFORMAL PATENT APPLICATION (PTO-152) which gives reason(d. Note the attached EXAMINER'S AMENDMENT or NOTICE OF s) why the oath or declaration is deficient.
 8. ☐ CORRECTED DRAWINGS must be submitted. (a) ☐ including changes required by the Notice of Draftsperson 1) ☐ hereto or 2) ☐ to Paper No 	's Patent Drawing Review (PTO-948) attached
(b) including changes required by the proposed drawing corr	ection filed, which has been approved by the Examiner.
(c) \square including changes required by the attached Examiner's A	mendment / Comment or in the Office action of Paper No
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of
9. DEPOSIT OF and/or INFORMATION about the deposit of attached Examiner's comment regarding REQUIREMENT FOR THE	of BIOLOGICAL MATERIAL must be submitted. Note the DEPOSIT OF BIOLOGICAL MATERIAL.
Attachment(s)	
1 ☐ Notice of References Cited (PTO-892) 3 ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 5 ☐ Information Disclosure Statements (PTO-1449), Paper No	
7☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	8⊠ Examiner's Statement of Reasons for Allowance 9□ Other .
	Mark Budd

Primary Examiner Art Unit: 2834



UNITED STATES DEPARTMENT OF COMMERCE U.S. Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.

EXAMINER

ART UNIT PAPER

0803

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

After further review, it is noted that Yasuda does not use ceramic in the electrode composition, and that althoigh Omatsu states explicitly that any piezoelectric ceramic material can be used (see col 1 line 22-42) no mention of specific inclusions is made.

Mark Budd Primary Examiner Art Unit: 2834